



Attorney Docket No. 1293.1220

caf

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Tae-kyung KIM, et al.

Application No.: 09/883,492

ATTENTION

Confirmation No.: 8681

CERTIFICATE OF CORRECTION

Filed: June 19, 2001

BRANCH

Certificate

U.S. Patent No.: 6,987,724

FEB 16 2006

Issued: January 17, 2006

of Correction

For: OPTICAL PICKUP DEVICE HAVING CHROMATIC ABERRATION CORRECTION LENS

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake(s) shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STEIN, MCEWEN & BUI, LLP

Date: 2/14/06

By: 

Michael D. Stein
Registration No. 37,240

1400 Eye St., N.W.
Suite 300
Washington, D.C. 20005
Telephone: (202) 216-9505
Facsimile: (202) 216-9510

FEB 16 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,987,724

DATED : January 17, 2006

INVENTOR(S) : Tae-kyung KIM, et al.

Column 16, line 39, delete "finder"
Column 17, line 1, change "art" to --an--
Column 17, line 28, insert --from the light-- after "light"
Column 17, line 52, change "wading" to --exiting--
Column 18, line 47, change "lane" to --lens--
Column 19, line 23, change "en" to --an--
Column 19, line 29, change "0.85" to --0.65--
Column 19, line 40, change "arid" to --and--
Column 19, line 52, change "h_i" to --h_o--
Column 19, line 62, change "claim 19" to --claim 17--
Column 19, line 66, change "surface" to --source--
Column 20, line 23, change "diseased" to --disposed--

MAILING ADDRESS OF SENDER:
STEIN, MCEWEN & BUI, LLP
1400 Eye St., N.W.
Suite 300
Washington, DC 20005

PATENT NO. 6,987,724

No. of add'l copies
@ 50¢ per page

FEB 16 2006